

1: T8217 2: T8217_Crown



3: T8217_Termite track

4: T8217_Termite track_Close up



5: T8231 6: U041



7: U041_Crown 8: U041_Dead stump



9: U041_Wood damage at trunk union

10: U041_Wood damaged by termite



11: U042 12: U042_Crown



13: U042_Wound on trunk

14: U043



15: U043_Wound on trunk#1

16: U043_Wound on trunk#2






17: Spraying of termiticide

18: Re-adjustment of staking







20: Temporary protective fencing for U041, U042 and U043e $\,$

CEDD Contract No. NL/2020/05 Tung Chung New Town Extension – Site Formation and Infrastructure Works at Ma Wan Chung

Tree Schedule for Survey of Plant Species of Conservation Importance

Tree No.	Species			Measurements			Amenity Value (High(H) /	Tree Condition (Good(G) / Average(A) / Poor(P))			Recommendation		
	Scientific Name	Chinese Name	Conservation Status	Height (m)	DBH (mm)	Crown Spread (m)	Medium (M) / Low(L)	Form	Health	Structure	(Retain / Transplant / Remove)	Findings	Remark
T8217	Canthium dicoccum	魚骨木	IUCN:VU	9	220	6	L	Р	A	P	Retain	Old termite track was observed. Application of termiticide is recommended.	There is no proper and safe assess towards T8231 & T8217, thus, plastics barriers were installed in lieu of 2m high barrier. No live termite was observed. Application of termiticide was conducted on 20 January 2024.
T8231	Canthium dicoccum	魚骨木	IUCN:VU	7	190	6	L	P	A	P	Retain	No Particular Observation	There is no proper and safe assess towards T8231 & T8217, thus, plastics barriers were installed in lieu of 2m high barrier.
U041	Aquilaria sinensis	土沉香	RPPHK; Cap.586; IUCN:VU	10	318	4	М	A	P	Α	Retain	No obvious old termite track was found, damage of wood tissue was observed. Application of termiticide is recommended.	Located closed to cut slope and fenced off by 2m high barrier. Application of termiticide and readjustment of staking was conducted on 20 January 2024.
U042	Gmelina chinensis	石梓	RPPHK	6	150	2	М	A	Р	A	Retain	Large wound near trunk base with wound wood development. Application of pesticide is recommended.	Located closed to cut slope and fenced off by 2m high barrier. Application of pesticide was conducted on 20 January 2024.
U043	Aquilaria sinensis	土沉香	RPPHK; Cap.586; IUCN:VU	9	310	4	М	A	P	A	Retain	No fungal fruiting bodies were found near trunk base. Application of fungicide and termiticide is recommended.	Located closed to cut slope and fenced off by 2m high barrier. Application of fungicide and termiticide and readjustment of staking was conducted on 20 January 2024.

RPPHK - Species included in AFCD publication "Rare and Precious Plants of Hong Kong (2003)"

Cap. 586 - Native plants listed in Protection of Endangered Species of Animals and Plants Ordinance, Cap. 586.

IUCN:VU – "Vulnerable" under IUCN Red List of Threatened Species