

A11 – Overall view	A11 – Crown condition. Foliage decreased. It is fruiting.
	
A11 – Shoots are epicormic generated from cut trunk which is decaying severely	A11 - Soil condition
	

A11 – Insect pest observed  08 06 2026	A11 – Fruiting  08 06 2026
Pest control done on 10/06/2026  10 06 2026	Weeding done on 10/06/2026  10 06 2026



Tree Schedule for Survey of Plant Species of Conservation Importance

No.	Species		Conservation Status	Measurements			Tree Condition (Good(G) / Average(A) / Poor(P))			Recommendation (Retain / Transplant / Remove)	Findings	Remark
	Scientific Name	Chinese name		DBH (mm)	Height (m)	Crown (m)	Form	Health	Structure			
A9 (T7628)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	-	-	-	-	-	-	-	-	Removed due to illegal felling on Aug 2023 (reported to police on 21 Aug 2023)
A10 (T7538)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	-	-	-	-	-	-	-	-	Removed due to illegal felling on Aug 2023 (reported to police on 21 Aug 2023)
A11 (T7521)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	190	3.5	1	P	A	P	Retain	Insect infestation is moderate. Pest control was done on 10 June 2026. Foliage density decreased, The tree is fruiting.	Root-plate movement (mentioned in previous monitoring report). Topped tree due to illegal felling on Aug 2023 (reported to police on 21 Aug 2023). Large decaying trunk wound. Foliage density reduced after inclement weather events on Aug and Sep 2025. Unknown physical damage is observed resulting in the breaking of some epicormic shoots on Nov 2025 (Cleaned).

*Note:

DBH refers to Trunk Diameter at Breast Height

The Tree preservation work commenced in Jul 2022

RPPHK - Species included in AFCD publication "Rare and Precious Plants of Hong Kong (2003)"


Cap.586 – Native plants listed in Protection of Endangered Species of Animals and Plants Ordinance, Cap. 586.

IUCN:VU – "Vulnerable" under IUCN Red List of Threatened Species

A8 – Overall view	A8 – Pruning wound previously damaged by typhoon KOINU (Oct 2023)
 A photograph showing the overall view of tree A8. The tree is supported by a wooden frame and orange safety netting. It is situated in a grassy area with white and red plastic barriers in the background. A date stamp '04 06 2026' is visible in the bottom right corner. 04 06 2026	 A close-up photograph of the trunk of tree A8, showing a large, dark, irregular pruning wound. The tree has green foliage. A date stamp '04 06 2026' is visible in the bottom right corner. 04 06 2026
A8 – Decaying wound on trunk	A8 – Trunk and root condition.
 A close-up photograph of the trunk of tree A8, showing a large, dark, irregular decaying wound. The tree has green foliage. A date stamp '04 06 2026' is visible in the bottom right corner. 04 06 2026	 A photograph showing the trunk and root condition of tree A8. The tree is supported by a wooden frame and orange safety netting. It is situated in a grassy area with white and red plastic barriers in the background. A date stamp '04 06 2026' is visible in the bottom right corner. 04 06 2026

A8 – Decaying wound at trunk base (size: ~180mm x170mm)  04 06 2026	A8 –Leaves chlorosis and thin. Some insect eggs were observed.  04 06 2026
A8 – Insect pest was observed  04 06 2026	A8 – Fruiting  04 06 2026

A12 - Overall View	A12 - Dieback observed.
 A photograph showing the full height of tree A12. The tree has a slender trunk and a canopy of green leaves. It is situated behind a row of white and red plastic safety barriers. A black protective net is draped over the base of the tree. The date '04 06 2026' is printed in yellow at the bottom right. 04 06 2026	 A close-up photograph of the upper part of tree A12, focusing on the canopy. There are visible signs of dieback, with some branches appearing bare or sparsely leaved. The date '04 06 2026' is printed in yellow at the bottom right. 04 06 2026
A12 - Foliage density reduced significantly after previous inclement weather.	A12 – Trunk and root condition
 A photograph of tree A12 showing a noticeable reduction in foliage density compared to previous observations. The canopy appears thinner. The date '04 06 2026' is printed in yellow at the bottom right. 04 06 2026	 A close-up photograph of the base of tree A12. The trunk is supported by a black mesh structure and orange safety netting. The roots are visible at the base. The date '04 06 2026' is printed in yellow at the bottom right. 04 06 2026

A12 – Wound at trunk base  04 06 2026	A12 – Decaying wound on trunk  04 06 2026
A12 – Epicormics on trunk. Decaying wound on Trunk.  04 06 2026	A12 – Fruiting  04 06 2026

Fencing is in order during inspection



Grass cutting and weeding was conducted on 8 June 2026.




Manual watering was carried out for A8 during the reporting period. The watering frequency is one to two times per week.



Manual watering was carried out for A12 during the reporting period. The watering frequency is one to two times per week.





CCTV Screen captures at day-time  07-06-2026 Mon 06:22:01 CREC TC A215	CCTV Screen captures at day-time  06-10-2026 Wed 13:32:07 CREC TC A214
CCTV Screen captures at night-time  06-02-2026 Tue 00:00:01 CREC TC A215	CCTV Screen captures at night-time  07-05-2026 Sun 23:52:02 CREC TC A214

Tree Schedule for Survey of Plant Species of Conservation Importance

No.	Species		Conservation Status	Measurements			Tree Condition (Good(G) / Average(A) / Poor(P))			Recommendation (Retain / Transplant / Remove)	Findings	Remark
	Scientific Name	Chinese name		DBH (mm)	Height (m)	Crown (m)	Form	Health	Structure			
A8 (T8996)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	110	5	4	P	P	P	Transplant	No obvious wound wood production. Fruiting. Severity of the insect feeding was high. Pest control was done on 27 June 2026.	Trunk wounds were observed before transplant operation. Shallow root. Sudden defoliation happened in May 2023 but recovered in Aug 2023. It was translocated to the temporary holding nursery on 29 Sep 2023. A branch (5cm) was broken due to typhoon in Oct 2023. Decaying wounds and exposed dead woods on trunk. The foliage density is low and further reduced after inclement weather events on Aug/Sep 2025.
A12 (T3537)	<i>Aquilaria sinensis</i>	土沉香	RPPHK; Cap.586; IUCN:VU	185	8	3	P	P	A	Transplant	No obvious wound wood production. Fruiting. Severity of the insect feeding was high. Pest control was done on 27 June 2026.	Trunk wounds were observed before transplant operation. Shallow root. Original root ball was full of stones which were removed partially during the translocation. It was translocated to the temporary holding nursery on 29 Sep 2023. It collapsed during typhoon dated Oct 2023 resulted in largely reduction in foliage density. It was slightly lean after a typhoon event dated 13-14 Nov 2024 and reinstated. Decaying wounds and exposed dead woods on trunk. The foliage density is low and further reduced after inclement weather events on Aug/Sep 2025.

*Note:

DBH refers to Trunk Diameter at Breast Height

The Tree preservation work commenced in Jul 2022

RPPHK - Species included in AFCD publication "Rare and Precious Plants of Hong Kong (2003)"

Cap.586 – Native plants listed in Protection of Endangered Species of Animals and Plants Ordinance, Cap. 586.

IUCN:VU – "Vulnerable" under IUCN Red List of Threatened Species